



ANALYTICAL REPORT

BRANCH 2 – LE DUONG CASHEW CO.,LTD

Group 2, Hamlet 7, Long Ha Commune

Dong Nai City, VIETNAM

Your purchase order reference: T5MP2606170432-CT

Sample Code : 743-2026-00154869

Eol code : 005-32410-812089
 Sample described as: CLEAN WATER
 Sample packaging : The sample is kept in plastic bottle
 Sample reception date: 17/06/2026
 Analysis period : 20/06/2026 - 25/06/2026

Client due date : 25/06/2026

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS
1	VD1NE VD (a) <i>Escherichia coli</i>	cfu/ 100 ml	ISO 9308-1:2014/Amd 1:2016	Not detected (LOD=1)
2	VD1NC VD (a) <i>Coliforms</i>	cfu/ 100 ml	ISO 9308-1:2014/Amd 1:2016	2.8x10 ¹
3	VD840 VD (a) <i>Residual chlorine</i>	mg/ l	SMEWW 4500 CI B:2023	Not detected (LOD=0.08)
4	VD911 VD (a) <i>Arsenic (As)</i>	mg/ l	SMEWW 3125B:2023 ; SMEWW 3030E:2023	Not detected (LOD=0.001)
5	VD144 VD (a) <i>Colour</i>	Colour unit	SMEWW 2120C:2023	Not detected (LOD=4)
6	VD239 VD (a) <i>pH</i>		TCVN 6492:2011 (ISO 10523:2008)	6.76
7	VD237 VD (a) <i>Permanganate value</i>	mg/ l	TCVN 6186:1996 (ISO 8467:1993)	Not detected (LOD=0.2)
8	VD307 VD (a) <i>Turbidity</i>	NTU	SMEWW 2130B:2023	Traces(<0.2)
9	VD1R0 VD (a) <i>Ammonium (NH₃ and NH₄⁺ as N)</i>	mg/ l	EPA 350.2	Not detected (LOD=0.02)
10	VD56G VD (m) <i>Odour</i>		EVN-R-RD-2- TP-5329 (Ref. SMEWW 2150B:2023)	No strange odour

Traces: result ≥ LOD and < LOQ.

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Thị Bảo Ngọc
 Can Tho Analytical Services Manager



Lưu Hải Đăng
 Business Unit Manager Food Testing Can Tho

Report electronically validated by Nguyễn Thị Bảo Ngọc 30/06/2026, and electronically approved by Lưu Hải Đăng 30/06/2026.



ANALYTICAL REPORT

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 10 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238. (m): under accreditation of ISO/IEC 17025:2017 VLAT-1.1500.



ANALYTICAL REPORT

BRANCH 2 – LE DUONG CASHEW CO.,LTD

Group 2, Hamlet 7, Long Ha Commune

Dong Nai City, VIETNAM

Your purchase order reference: T5MP2606170432-CT

Sample Code : 743-2026-00154870

Eol code : 005-32410-812090
Sample described as: CASHEW KERNELS WITH TESTA
Sample packaging : The sample is kept in plastic bag
Sample reception date: 17/06/2026 Client due date : 25/06/2026
Analysis period : 20/06/2026 - 24/06/2026

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS
1	VD656 VD Screened pesticides (organochlorine) (GC-MS)		EN 15662:2018	Not Detected
2	VD659 VD Screened pesticides (organophosphate) (GC-MS)		EN 15662:2018	Not Detected
3	VD661 VD Screened pesticides (Pyrethroid) (LC-MS)		EN 15662:2018	Not Detected
4	VD662 VD Screened pesticides (Carbamate) (LC-MS/MS)		EN 15662:2018	Not Detected
5	VDGR5 VD Screened pesticides (non 4 groups) (LC-MS)		EN 15662:2018	Not Detected

List of screened molecules (LOQ = limit of quantification)

VD656 VD Organochlorine pesticides (mg/kg)

Aldrin (0.01)	BHC, Alpha (0.01)	BHC, Beta (0.01)	BHC, delta (0.01)
BHC, epsilon (0.01)	Chlordane (total) (0.01)	Chlorfenapyr (0.01)	DDD, o,p- (0.01)
DDD, p,p'- (0.01)	DDE, o,p- (0.01)	DDE, p,p'- (0.01)	DDT, o,p'- (0.01)
DDT, p,p'- (0.01)	Dicofol, o,p- (0.01)	Dicofol, p,p- (0.01)	Dieldrin (0.01)
Endosulfan sulphate (0.01)	Endosulfan, alpha- (0.01)	Endosulfan, beta- (0.01)	Endrin (0.01)
Heptachlor (0.01)	Heptachlor epoxide, cis- (0.01)	Heptachlor epoxide, trans- (0.01)	Hexachlorobenzene (HCB) (0.01)
Lindane (gamma-HCH) (0.01)	Methoxychlor (0.01)	Nitrofen (0.01)	Quintozene (0.01)
Tecnazene (0.01)			

VD659 VD Organophosphate pesticides (mg/kg)

Acephate (0.01)	Azinphos-methyl (0.01)	Cadusafos (0.01)	Chlorpyrifos (-ethyl) (0.01)
Chlorpyrifos-methyl (0.01)	Diazinon (0.01)	Dimethoate (0.01)	Disulfoton (0.01)
Ethion (0.01)	Ethoprophos (0.01)	Fenamiphos (0.01)	Fenamiphos-sulfone (0.01)
Fenamiphos-sulfoxide (0.01)	Fenthion (0.01)	Fenthion-sulfone (0.01)	Fenthion-sulfoxide (0.01)
Methacrifos (0.01)	Methamidophos (0.01)	Monocrotophos (0.01)	Omethoate (0.01)
Parathion-methyl (0.01)	Phorate (0.01)	Phorate-sulfone (0.01)	Phorate-sulfoxide (0.01)
Phosalone (0.01)	Pirimiphos-methyl (0.01)	Profenofos (0.01)	Triazophos (0.01)

VD661 VD Pyrethroid pesticides (mg/kg)

Acrinathrin (0.01)	Cypermethrin (sum of isomers) (0.01)	Permethrin (sum of isomers) (0.01)	Pyrethrin II (0.01)
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers)) (0.01)			

VD662 VD Carbamate pesticides (mg/kg)

3-Hydroxycarbofuran (0.01)	Aldicarb (0.01)	Aldicarb-sulfone (0.01)	Carbaryl (0.01)
Carbetamide (0.01)	Carbofuran (0.01)	Chlorpropham (0.01)	Diethofencarb (0.01)
Fenoxycarb (0.01)	Iprovalicarb (0.01)	Methiocarb (0.01)	Methiocarb-sulfoxide (0.01)
Methomyl (0.01)	Oxamyl (0.01)	Pirimicarb (0.01)	Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) (0.01)
Propham (0.01)	Propoxur (0.01)	Prosulfocarb (0.01)	Thiodicarb (0.01)

VDGR5 VD Other pesticides_not 4 group (mg/kg)

Acetamiprid (0.01)	Atrazine (0.01)	Avermectin B1a (0.01)	Azoxystrobin (0.01)
Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers) (0.01)	Bentazone (0.01)	Bifenazate (0.01)	Bromuconazole (0.01)
Bupirimate (0.01)	Buprofezin (0.01)	Carbendazim (0.01)	Carboxin (0.01)
Carfentrazone-ethyl (0.01)	Chlorantraniliprole (0.01)	Chloridazon (0.01)	Chlorotoluron (0.01)
Chloroxuron (0.01)	Clethodim (0.01)	Clomazone (0.01)	Clothianidin (0.01)



ANALYTICAL REPORT

Sample Code : 743-2026-00154870
VDGR5 VD Other pesticides_not 4 group (mg/kg)

Cyrantraniliprole (0.01)	Cyazofamid (0.01)	Cyproconazole (0.01)	Cyprodinil (0.01)
Cyromazine (0.01)	Dazomet (0.01)	Diafenthiuron (0.01)	Diallate (0.01)
Difenoconazole (0.01)	Diflubenzuron (0.01)	Diflufenican (0.01)	Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers) (0.01)
Dimethomorph (sum of isomers) (0.01)	Dimoxystrobin (0.01)	Diniconazole (0.01)	Dinotefuran (0.01)
Diphenylamine (0.01)	Disulfoton-sulfone (0.01)	Emamectin (B1a + B1b) (0.01)	Emamectin, benzoate- (0.01)
Epoxiconazole (0.01)	Ethoxyquin (0.01)	Fenbuconazole (sum of constituent enantiomers) (0.01)	Fipronil (0.005)
Flonicamid (0.01)	Fluazinam (0.01)	Fludioxonil (0.01)	Flufenacet (0.01)
Hexaconazole (0.01)	Imidacloprid (0.01)	Indoxacarb (sum, R+S isomers) (0.01)	Isoprothiolane (0.01)
Malaonox (0.01)	Metaflumizone (sum of E- and Z- isomers) (0.01)	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers)) (0.01)	Metconazole (sum of isomers) (0.01)
Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers)) (0.01)	Penconazole (sum of constituent isomers) (0.01)	Prochloraz (0.01)	Propaquizafop (0.01)
Propargite (0.01)	Propiconazole (sum of isomers) (0.01)	Propyzamide (0.01)	Pymetrozine (0.01)
Pyraclostrobin (0.01)	Tebuconazole (0.01)	Tetraconazole (0.01)	Thiabendazole (0.01)
Thiobencarb (0.01)	Tricyclazole (0.01)	Zoxamide (0.01)	

SIGNATURE


Nguyễn Thị Bảo Ngọc
Can Tho Analytical Services Manager



Lưu Hải Đăng
Business Unit Manager Food Testing Can Tho

Report electronically validated by Nguyễn Thị Bảo Ngọc 30/06/2026, and electronically approved by Lưu Hải Đăng 30/06/2026.

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 10 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.



ANALYTICAL REPORT

BRANCH 2 – LE DUONG CASHEW CO.,LTD

Group 2, Hamlet 7, Long Ha Commune

Dong Nai City, VIETNAM

Your purchase order reference: T5MP2606170432-CT

Sample Code : 743-2026-00154871

Eol code : 005-32410-812091
 Sample described as: CASHEW KERNELS WITH TESTA
 Sample packaging : The sample is kept in plastic bag
 Sample reception date: 17/06/2026
 Analysis period : 20/06/2026 - 23/06/2026

Client due date : 25/06/2026

NO.	PARAMETERS	UNIT	TEST METHOD	RESULTS
1	VD855 VD (a) Cadmium (Cd)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.01)
2	VD861 VD (a) Lead (Pb)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.017)
3	VD856 VD (a) Arsenic (As)	mg/ kg	AOAC 2015.01	Traces(<0.03)
4	VD857 VD (a) Mercury (Hg)	mg/ kg	AOAC 2015.01	Not detected (LOD=0.007)
5	VD821 VD (a) Aflatoxin B1	µg/ kg	EVN-R-RD-1-TP-5060 (Ref. DIN EN 14123:2008-03)	Not detected (LOD=0.5)
6	VD821 VD (a) Aflatoxins total (B1, B2, G1, G2)	µg/ kg	EVN-R-RD-1-TP-5060 (Ref. DIN EN 14123:2008-03)	Not detected (LOD=0.5)
7	VD6WS VD (m) Moisture	%	ISO 665:2020; TCVN 8949:2011	8.16

Traces: result $\geq$ LOD and $<$ LOQ.

LOD: Limit Of Detection.

LOQ: Limit Of Quantitation.

SIGNATURE



Nguyễn Thị Bảo Ngọc
Can Tho Analytical Services Manager




Lưu Hải Đăng
Business Unit Manager Food Testing Can Tho

Report electronically validated by Nguyễn Thị Bảo Ngọc 30/06/2026, and electronically approved by Lưu Hải Đăng 30/06/2026.



ANALYTICAL REPORT

EXPLANATORY NOTE

Test results are only valid on the tested sample provided by client. The sample and client information are written as client's request.

This report shall not be reproduced in parts or referred to Eurofins Sac Ky Hai Dang in advertising, promotional activities or activities that may cause conflicts of interest.

Samples are normally kept for 10 days after issuing the test report (sample retention does not apply to microbiological and perishable samples). The sample retention may be longer depending on the contract agreed with the client or requirement of authorities.

Once the sample retention time expires, Eurofins Sac Ky Hai Dang is not responsible for client complaints about test results.

This result report is issued based on the agreed requirements between Eurofins Sac Ky Hai Dang and client; and, in accordance with "general terms and conditions of service", published at www.eurofins.vn/en/eurofins-network-in-vietnam/eurofins-sac-ky-hai-dang/general-terms-conditions-of-services-supply/.

Any unauthorized copy, alteration, forgery or falsification of content or appearance of this document is illegal and violators may be prosecuted to the law.

All test methods begin with characters EVN; A39; N79; EHC are internal methods developed by Eurofins Sac Ky Hai Dang.

All test methods (AOAC, internal method,...) which did not state the published year were on the latest version at the time the tests were conducted.

Test codes begin with "VD", "VE", "VW" and do not have "EXT" attached are performed at Eurofins Sac Ky Hai Dang.

(a): under accreditation of ISO/IEC 17025:2017 VILAS 238. (m): under accreditation of ISO/IEC 17025:2017 VLAT-1.1500.